



LG OutdoorTV

Brightlink AV Outdoor TV can be used in outdoor conditions, Different from traditional outdoor TV, this outdoor TV has extremely unique design. Our product has ultra-narrow bezel and ultra-thin thickness. Furthermore, compared with other outdoor TV, the weight of our outdoor TV is very light. These TV's are you best choice for premium outdoor viewing.





IP55 Waterproof, no fear of splash,
indulge in enjoying the good time outdoors

| 4K UHD

| 700nits/1500nits

| Light weight

size	43"	55"	65"
weight	22kg	33kg	38kg


| Main stream I/O ports



| Extremely narrow bezel and ultra-thin thickness


Bezel: 19mm

Thickness: 62.1mm



Bluetooth function

Additional Bluetooth function enable product
External audio equipment can be connected





Pre-installed genuine Netflix and other apps helps your family and friends to enjoy the happiness of Internet TV at outdoors.

Application scenarios



Patio



Swimming pool



coffee shop



Resort hotel



Deck



Restaurant



Airport



**BRIGHTLINK AV LTD.**

Brand		BRIGHTLINK AV - LG PANEL	BRIGHTLINK AV - LG PANEL	BRIGHTLINK AV - LG PANEL
Model		BL-OD-TV-43-700 / 1500	BL-OD-TV-55-700 / 1500	BL-OD-TV-65-700 / 1500
LCD Panel	Size available	43inch	55inch	65inch
	Brightness(Typical)	700 / 1500 cd/m2	700 / 1500 cd/m2	700 / 1500 cd/m2
	Contrast(Typical)	3000: 1	3000: 1	3000: 1
	Resolution (H x V)	3840x2160	3840x2160	3840x2160
	Aspect Ratio	16:9	16:9	16:9
	Response Time(Typical)	8ms	8ms	8ms
	View Angles LR,UD(CR>10)	178°/178°	178°/178°	178°/178°
	Panel Surface	Black	Black	Black
	Display Colors	8bit, 16.7M	8bit, 16.7M	8bit, 16.7M
	Protection glass	YES	YES	YES
Backlight rated hours	≥50000hours	≥50000hours	≥50000hours	
TV system	Digital	ATSC&NTSC		



I/O Port	System	Linux (1G+4G)		
	HDMI Input	x3		
	Earphone out	x1		
	Optical out	x1		
	YPbPr Input	x1		
	AV Input	x1		
	RJ45	x1		
	USB	x2		
Bluetooth		5.0		
Wifi		IEEE 802.11b/g/n		
Build in APP		Netflix, Pandora, Vudu, Facebook, YouTube, Twitter, Accu Weather, Mirroacast RX		
Power Input		AC100V-240V		
Support	Video	.mpg .dat、 .mkv、 .mp4、 .mjpeg、 .ts、 .flv、 .webm		
	music	.mp3、 .m4a		
	photo	.jpg、 .bmp、 .png		
Power	Consumption(Typical)	<120W	<170W	<230W
	AC Power Range	110-240V		
Feature	IP rating	IP55, waterproof and dust free		
	Audio output	2×10W		
Accessory	Power Cable	YES		
	Remote control	YES		
	Battery	YES		
	User Manual	YES		
Tempered glass		No		
Dimension		981.2x89.3x584.4mm	1249.6x89.1x735.4mm	1466.48x89.1x856.5mm
N.W		22KG	26KG	38KG

Six views



43"



55"



65"





BRIGHTLINK AV LTD

TEL: 1-855-449-4733

E-mail : sales@brightlinkav.com

Web : <https://www.brightlinkav.com>